

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	@ad<"20000827" and database with process and (add or append) near data with email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:20
L4	0	@ad<"20000827" and database and (add or append) near data with email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:20
L5	10	@ad<"20000827" and database with processingand (add or append) near data with email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:20
L6	16587	@ad<"20000827" and database with processing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:20
L7	9964	@ad<"20000827" and database with processing same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:21
L8	1445	@ad<"20000827" and database with processing same data and (add or append) with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:21
L9	265	@ad<"20000827" and database with processing same data and (add or append) with data and image near data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:21
L10	49	@ad<"20000827" and database with processing same data and (add or append) with data same image near data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:21
L11	36	@ad<"20000827" and database with processing with data and (add or append) with data same image near data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:46

L13	0	@ad<"20000827" and \$mail same domain and white near list and black near list same domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:47
L14	0	@ad<"20000827" and \$mail same domain and white near list and black near list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:47
L15	5	@ad<"20000827" and \$mail and white near list and black near list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:49
L16	0	@ad<"20000827" and \$mail and white near list and black near list and domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:48
L17	0	@ad<"20000827" and outgoing same \$mail and white near list and black near list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:49
L18	61	@ad<"20000827" and outgoing same \$mail and white and black	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:49
L19	19	@ad<"20000827" and outgoing same \$mail and white and black and domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:05
L20	6	@ad<"20000827" and white with list and black with list and email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:05
L21	0	@ad<"20000827" and white with list and black with list and email and outgoing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:08
L22	1	@ad<"20000827" and white with list and black with list and email and (outgoing or sending)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:05

L23	1173	@ad<"20000827" and \$mail same domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:05
L24	270	@ad<"20000827" and \$mail with domain and (filter or block or allow) same domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:08
L25	115959	@ad<"20000827" and \$mail wiht domain and (filter or block or allow) same domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:08
L26	93621	@ad<"20000827" and \$mail wiht domain and (filter or block or allow) with domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:09
L27	62593	@ad<"20000827" and \$mail wiht domain and (filter or block or allow) with domain and destination with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:09
L28	85	@ad<"20000827" and \$mail with domain and (filter or block or allow) with domain and destination with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:09
L29	17	@ad<"20000827" and \$mail with destination with address same domain and (filter or block or allow) with domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:36
L30	73	@ad<"20000827" and \$mail same destination with address and domain same (filter or block and allow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:37
L31	6	@ad<"20000827" and \$mail same destination with address and domain same (filter and block and allow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:43
L32	12	@ad<"20000827" and \$mail same destination with address and domain same (filter and allow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:44

L33	1	@ad<"20000827" and \$mail same destination with address and domain same (filter and allow) with \$mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:45
L34	54	@ad<"20000827" and \$mail with filter and destination adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:46
L35	36	@ad<"20000827" and \$mail with filter and destination adj address and domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:46
L36	3	@ad<"20000827" and \$mail with filter same destination adj address and domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:49
L37	6	@ad<"20000827" and \$mail with filter same destination adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:49

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	@ad<"20000827" and database with process and (add or append) near data with email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:20
L4	0	@ad<"20000827" and database and (add or append) near data with email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:20
L5	10	@ad<"20000827" and database with processingand (add or append) near data with email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:20
L6	16587	@ad<"20000827" and database with processing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:20
L7	9964	@ad<"20000827" and database with processing same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:21
L8	1445	@ad<"20000827" and database with processing same data and (add or append) with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:21
L9	265	@ad<"20000827" and database with processing same data and (add or append) with data and image near data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:21
L10	49	@ad<"20000827" and database with processing same data and (add or append) with data same image near data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:21
L11	36	@ad<"20000827" and database with processing with data and (add or append) with data same image near data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:46

L13	0	@ad<"20000827" and \$mail same domain and white near list and black near list same domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:47
L14	0	@ad<"20000827" and \$mail same domain and white near list and black near list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:47
L15	5	@ad<"20000827" and \$mail and white near list and black near list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:49
L16	0	@ad<"20000827" and \$mail and white near list and black near list and domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:48
L17	0	@ad<"20000827" and outgoing same \$mail and white near list and black near list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:49
L18	61	@ad<"20000827" and outgoing same \$mail and white and black	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:49
L19	19	@ad<"20000827" and outgoing same \$mail and white and black and domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:05
L20	6	@ad<"20000827" and white with list and black with list and email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:05
L21	0	@ad<"20000827" and white with list and black with list and email and outgoing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:08
L22	1	@ad<"20000827" and white with list and black with list and email and (outgoing or sending)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:05

L23	1173	@ad<"20000827" and \$mail same domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:05
L24	270	@ad<"20000827" and \$mail with domain and (filter or block or allow) same domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:08
L25	115959	@ad<"20000827" and \$mail wiht domain and (filter or block or allow) same domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:08
L26	93621	@ad<"20000827" and \$mail wiht domain and (filter or block or allow) with domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:09
L27	62593	@ad<"20000827" and \$mail wiht domain and (filter or block or allow) with domain and destination with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:09
L28	85	@ad<"20000827" and \$mail with domain and (filter or block or allow) with domain and destination with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:09
L29	17	@ad<"20000827" and \$mail with destination with address same domain and (filter or block or allow) with domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:36
L30	73	@ad<"20000827" and \$mail same destination with address and domain same (filter or block and allow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:37
L31	6	@ad<"20000827" and \$mail same destination with address and domain same (filter and block and allow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:43
L32	12	@ad<"20000827" and \$mail same destination with address and domain same (filter and allow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:44

L33	1	@ad<"20000827" and \$mail same destination with address and domain same (filter and allow) with \$mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:45
L34	54	@ad<"20000827" and \$mail with filter and destination adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:46
L35	36	@ad<"20000827" and \$mail with filter and destination adj address and domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:46
L36	3	@ad<"20000827" and \$mail with filter same destination adj address and domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:49
L37	6	@ad<"20000827" and \$mail with filter same destination adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:49
S1	3	@ad<"20020208" and gateway and inside and outside	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 13:57
S2	4	("\$817444\$").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 18:26
S3	2	("6154777").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:28
S4	2	("20020024685").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 17:34
S5	2226	@ad<"20000827" and scanner and network and address and mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:37

S6	549	@ad<"20000827" and scanner and scan and network and address same mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 10:33
S7	29	@ad<"20000827" and scanner and scan and network and address same mail and 709/206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:38
S8	68	@ad<"20000827" and scanner and scan and network and address same mail and address with book	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:19